



# Bilby 3D

## **MATERIAL DATA SAFETY SHEET**

Issued in Australia by Bilby 3D Pty Ltd.

The attached Material Data Safety Sheet has been prepared by the manufacturer outside Australia.

In accordance with Australia WHS regulations the following Australian contact details apply

### **Section 1: AUSTRALIAN COMPANY DETAILS**

In Australia the product is imported and distributed by:  
Bilby 3D Pty Ltd

Mailing Address :

Kingsgrove Business Centre, 7/192 Kingsgrove Rd, Kingsgrove NSW 2208

Head Office Address :

Kingsgrove Business Centre, 7/192 Kingsgrove Rd, Kingsgrove NSW 2208

Contact Phone: 1800 847 333

### **Section 2: AUSTRALIAN EMERGENCY CONTACT**

#### **Emergency Contact**

In the event of an emergency please contact:

Poisons Information Centre 24 hour Telephone Advice Line on 13 11 26

### **Section 3: AUSTRALIAN ISSUE DATA**

**Date of Issue** : 1 March 2020

# SAFETY DATA SHEET

## 3D PRINTER LCD RESINS (ALL RESINS)

### SECTION 1:

#### IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

##### 1.1 Product identifier

**Product name:** 3D printer resin

**Product code:** LCD Resins

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Use in UV LCD 3D printers

##### 1.3 Details of the supplier of the safety data sheet

**Supplier:**

Photocentric Ltd

Cambridge House, Oxney Rd

Peterborough PE1 5YW

UNITED KINGDOM

Telephone: +44 (0)1733 349937

E-mail address: info@photocentric.co.uk

[www.photocentricgroup.com](http://www.photocentricgroup.com)

##### 1.4 Emergency telephone number

+44 (0) 1733 349937 (office hours only)

### SECTION 2:

#### HAZARDS IDENTIFICATION

##### 2.1 Classification of the substance or mixture

**Classification under CHIP:**

Xi: R37; Sens.: R43; -: R52/53

**Classification under CLP:**

Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit.

2: H315; Skin Sens. 1A: H317

**Most important adverse effects:**

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

##### 2.2 Label elements

**Label elements under CLP:**

**Hazard statements:**

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H412: Harmful to aquatic life with long lasting effects.

H413: May cause long-lasting harmful effects to aquatic life

**Signal words:** Warning

**Hazard pictograms:** GHS07: Exclamation mark

**Precautionary statements:**



**WARNING**

**P261:** Avoid breathing dust / fumes / gas / mist / vapours / spray.

**P264:** Wash hands thoroughly after handling.

**P280:** Wear protective gloves/protective clothing/eye protection/face protection.

**P302+352: IF ON SKIN:** Wash with plenty of water/.

**P305+351+338: IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P321:** Specific treatment (see instructions on this label).

##### 2.3 Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### SECTION 3:

## COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Mixtures

Hazardous ingredients:

#### SECTION 4:

EINECS	CAS	PBT / WEL	CLP Classification	%
<b>ACRYLATE OLIGOMER</b>				
Proprietary	Proprietary	-	Eye Irrit. 2: H319; Skin Sens. 1: H317	30-50%
<b>ACRYLATE MONOMER</b>				
-	Proprietary	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	10-80%
<b>METHACRYLATE MONOMER</b>				
Proprietary	Proprietary	-	Skin Irrit. 2: H315; Eye Irrit. 2: H319	10-80%
<b>METHACRYLATE OLIGOMER</b>				
Proprietary	Proprietary	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317	3-70%
<b>PHOTOINITIATOR</b>				
-	Proprietary	-	Eye Irrit. 2: H319; Skin Sens. 1A: H317; Aquatic Chronic 2: H411; H413	0.25-3%
<b>PHOTOINITIATOR</b>				
Proprietary	Proprietary	-	Skin Sens. 1: H317; Repr. 2: H361f; Aquatic Chronic 2: H411	0.1-1%

## FIRST AID MEASURES

### 4.1 Description of first aid measures

#### Skin contact:

Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

#### Eye contact:

Bathe the eye with running water for 15 minutes. Consult a doctor.

#### Ingestion:

Wash out mouth with water. Consult a doctor.

#### Inhalation:

Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Skin contact:

There may be irritation and redness at the site of contact.

#### Eye contact:

There may be irritation and redness. The eyes may water profusely.

#### Ingestion:

There may be soreness and redness of the mouth and throat.

#### Inhalation:

There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

#### Delayed / immediate effects:

Immediate effects can be expected after short-term exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

## SECTION 5:

### FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

#### 5.2 Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes.

#### 5.3 Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## SECTION 6:

### ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep

bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

## 6.2 Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3 Methods and material for containment and cleaning up

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## 6.4 Reference to other sections

**Reference to other sections:** Refer to section 8 of SDS.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

### 7.3 Specific end use(s)

**Specific end use(s):** No data available.

## SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

### 8.1 Control parameters

**Workplace exposure limits:** No data available.

**DNEL/PNEC Values**

**DNEL / PNEC** No data available.

## 8.2 Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Various

**Odour:** Characteristic odour

**Evaporation rate:** Negligible.

**Oxidising:** No data available.

**Solubility in water:** Slightly soluble

**Also soluble in:** Most organic solvents.

**Viscosity:** Low

**Boilingpoint/range°C:** >35

**Melting point/range°C:** No data available.

**Flammability limits % lower:** No data available.

**Flammability limits %upper: :** No data available.

**Flash point°C:** >93

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability°C:** No data available.

**Vapour pressure:** No data available.

**Relative density:** No data available.

**pH:** Not applicable.

**VOC g/l:** Not applicable.

## 9.2 Other information

**Other information:** No data available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

### 10.2 Chemical stability

**Chemical stability:** Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

### 10.4 Conditions to avoid

**Conditions to avoid:** Heat.

### 10.5 Incompatible materials

**Materials to avoid:** Strong oxidising agents. Strong acids.

### 10.6 Hazardous decomposition products

**Haz. decomp. products:** In combustion emits toxic fumes.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Not Applicable

### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## SECTION 12: ECOLOGICAL INFORMATION

Not applicable

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

## SECTION 14: TRANSPORT INFORMATION

### 14.1 UN number

UN number: Not applicable.

### 14.2 UN proper shipping name

Shipping name: Not applicable.

### 14.3 Transport hazard class(es)

Transport class: Not applicable.

### 14.4 Packing group

Packing group: Not applicable.

### 14.5 Environmental hazards

Environmentally hazardous: Not applicable.

Marine pollutant: No

### 14.6 Special precautions for user

Special precautions: No special precautions.

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

## 15.2 Chemical Safety Assessment

### SECTION 16: OTHER INFORMATION

#### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

#### Phrases used in s.2 and s.3:

**H228:** Flammable solid.

**H315:** Causes skin irritation.

**H317:** May cause an allergic skin reaction.

**H319:** Causes serious eye irritation.

**H361f:** Suspected of damaging fertility.

**H373:** May cause damage to organs through prolonged or repeated exposure.

**H412:** Harmful to aquatic life with long lasting effects.

**H413:** May cause long-lasting harmful effects to aquatic life

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.